

BRASS

The forging and use of brass products have a long and rich history throughout the world. Since around 1230 AD, brass products began to gain popularity in Europe, initially used in large sculptures and later extending to various decorative items, including door handle systems.

Brass has always been the preferred material for CANOVO's door handle systems. Its unique properties allow for greater versatility in design and a wide range of surface treatments.

These surface treatments, based on the material's characteristics, also enhance the durability of the finish.

CANOVO's brass handle selection focuses primarily on minimalist designs. We not only maintain a clean and simple aesthetic, but also prioritize the most important element of handle design—an ergonomic grip that feels natural to the hand.





黄铜材质产品的锻造和使用，在世界历史的长河里源远流长。从约公元 1230 年起，黄铜制品在欧洲开始流行，最早是在大型雕塑上使用，再延伸到各种饰品面，也包含门把手系统。

黄铜也一直是CANOVO门把手系统的首选材质，黄铜材质的特殊性质，让他更加赋予造型的变化和丰富的表面处理，

基于材质特性的表面处理，也让完成面有更好的耐久性。

CANOVO的黄铜系列把手选型，以极简风格为主，我们不仅兼顾简约的风格，也考虑把手设计的第一要素，符合人体工程学的握感。

Details Determine Sophistication

细节决定精致

KPI 漆花

SET I 斜纹

SLT I 直纹

Knurled, diagonal, and
straight textures,

Three different patterns,

Not only present on the door
handles,

But also echoed in the details
of the dividing rings and the
lock knobs.

This is CANOVO's product
design, where sophistication
is revealed in every detail.

漆花、斜纹、直纹，

三款不同的纹理，

不仅仅体现在门把手上，

更在分圈的和反锁旋钮的细节处得到呼应，

这就是凯诺威的产品设计，


细节之处尽显精致



L409591

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L409458



PC / SLT I 亮光铬 / 直纹




GP / SLT I 亮光金 / 直纹



SG / SLT I 雾影灰 / 直纹

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L409451




MG / KPI 流沙金 / 滚花



SG / KPI 雾影灰 / 滚花

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L409457



PC / CPP I 亮光铬 / 雕刻纹




GP / CPP I 亮光金 / 雕刻纹



SG / CPP I 雾影灰 / 雕刻纹

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





Retro Pattern Series

复古花纹系列



A global trend of retro patterns in door handles has emerged, and it seems unstoppable. In 2020, CANOVO seized the moment and launched its own retro pattern series.

全球门把手掀起一股复古花纹风，似乎势不可挡,CANOVO也在2020年顺势推出自己的复古花纹系列。

L409515



GP / KPI | 亮光金 / 滚花




SG / SLT | 雾影灰 / 直纹



BS / SLT | 棕古铜 / 直纹

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



Internationally Compatible Color Configuration System

国际化的同色配置系统

CANOVO door hardware systems are manufactured according to European standards, so our handles are fully compatible with Italian imported lock bodies and lock cylinders (AGB \ BONAITI). Additionally, our product colors can achieve close matching within the same color range, allowing our products to take the lead on the path to internationalization.

凯诺威门用五金系统按照欧洲标准生产，所以我们的把手完全匹配意大利原装进口的锁体锁心（AGB \ BONAITI），并且我们产品颜色可以做到同色系的接近和匹配，让我们的产品在国际化的道路上先行一步。



CANOVO®



AGB

BONAITI
SERRATURE DAL 1936

New Interpretation of European Style

欧式风格新演绎



Stripping away the ornate decorations and leaving only simple, refined lines is CANOVO's new interpretation of European style, preserving the most exquisite concepts as a tribute to that era!

去掉繁杂的装饰，留下简单精致的线条，是CANOVO对欧式风格的新演绎，保留最精致的理念，向那个时代致敬！

L409B593




PCI 亮光铬



GPI 亮光金

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm






L409B671



Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L207460 (连体型号)



GP I 亮光金

L409460 (分体型号)




GP I 亮光金



BS I 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L208035 (连体型号)



GP I 亮光金


L409B035 (分体型号)



GP I 亮光金

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



CANOVO®





L206029 (连体型号)



GP I 亮光金


L409B029 (分体型号)



GP I 亮光金

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L201153 (连体型号)



GP I 亮光金


L409B153 (分体型号)



GP I 亮光金

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L210620 (连体型号)



GP I 亮光金


L409B620 (分体型号)



GP I 亮光金

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L409298




PC I 亮光铬



GP I 亮光金

Material: Brass
Door Thickness: 38-55mm


材质：黄铜
对应门厚：38-55mm







L409B133




GP / HBT | 亮光金 / 手工锤纹



BS | 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L409455



FB | 法兰铜

L409455



SG | 雾影灰


L409B461




BS | 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L409455



L409B461

Downward-press Oval Handle

下压式蛋形把手



When modern door locks first appeared in the Chinese market, they were in the form of spherical locks, offering a smooth and rounded feel that was unique to them. Years later, the oval handle merges with a new lock body structure and a downward-press opening mechanism, providing you with a different choice.

现代门锁在中国市场出现时，以球形锁的状态出现，圆润的手感是它特有的体验，N年之后的蛋形把手融合新的锁体结构和下压的开启方式，给你一个不一样的选择。

L602099



GP I 亮光金




MSB I 青古铜



SG I 雾影灰

Material: Zinc Alloy
Door Thickness: 38-55mm

材质: 锌合金
对应门厚: 38-55mm





L409088



PC I 亮光铬




GC I 亮光金



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





6.0mm

**6mm thin cover
(standard for brass locks)**

The lightweight shape embodies natural grace in every breath. Subtracting by millimeters creates a harmonious addition to the space.

6mm薄盖（铜锁标配）
轻盈的造型是呼吸间的自然灵动
毫厘的减法创造空间和諧的加法

10.0mm

10mm thick cover (optional)

The solid shape creates a sense of presence in the space. Its exquisite existence serves as a stunning embellishment to the environment.

10mm厚盖（可选）
稳重的造型，营造空间的气势
精致的存在即光彩夺目的空间修饰

6MM CAREFULLY DEFINED DETAILS

6mm谨慎定义的细节

Can the dividing ring of the door handle be made thinner, moving from the traditional 10mm to a more slender dimension? What is the optimal thickness?

After multiple testing and grading, we defined this thickness as 6mm.

CANOVO's split door locks, whether in brass or zinc alloy, can match 90% of the time with the 6mm dividing ring, allowing the 6mm thickness to showcase ultimate beauty.

门把手的分圈再薄一点，从传统的10mm向更薄的尺度下降，多少是最佳？

我们经过多次分级打样测试，将这个厚度定义为6mm。

CANOVO的分体门锁，无论黄铜材质还是锌合金材质，90%可以匹配6mm分圈，让6mm厚度尽显极致之美。

L409454



GP I 亮光金




BS I 棕古铜



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm







L409456



FB I 法兰铜




SG I 雾影灰



BS I 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





L409525



SB I 丝绒金




SG I 雾影灰



MB I 极夜墨

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L409453



SB I 丝绒金




BS I 棕古铜



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm







L409459




BS I 棕古铜



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L409510




GP I 亮光金



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm






L419471



FB I 法蘭銅




SG I 霧影灰



BS I 棕古銅

Material: Brass
Door Thickness: 38-55mm

材质：黃銅
对应门厚：38-55mm








L419472



PC I 亮光铬



GP I 亮光金




BS I 棕古铜



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L419726




PCI 亮光铬



SG I 雾影灰

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm







Simple with details
有细节的简单

L209473 (连体型号)



BS I 棕古铜

L419473 (分体型号)




BS I 棕古铜



FB I 法兰铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





The Rise of Guochao

L312477 (连体型号)



BS I 棕古铜

L420477 (分体型号)




FB I 法兰铜



BS I 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm



L310474 (连体型号)



BS I 棕古铜


L421474 (分体型号)



BS I 棕古铜

Material: Brass
Door Thickness: 38-55mm

材质: 黄铜
对应门厚: 38-55mm





Where
East Meets West